



OFFICE OF THE HEALTH OFFICER
CUTTACK MUNICIPAL CORPORATION, CUTTACK
 BIKASH BHAWAN, CUTTACK – 12, ODISHA




No 2638/Ho

Dated 01/11/2022


HEALTH, SANITATION & SAFETY CERTIFICATE

Certify that, I have visited the DAV S.C.B. Medical Public School at Mangalabag on 03.06.2022 and observed the following facilities provided by the organization to the students.

- 1) Present Students strength of the school is 1496 for the year 2022-23 & Nos. of Staff-73.
- 2) The school has provided adequate urinal separately for boys (22 nos.) & (girls 19 nos.)
- 3) Separate Toilet both boys & girls in adequate nos. have been provided in the school.
- 4) Separate Toilets for the Staff have been provided.
- 5) Underground sewerage system is terminated to nearby MSWC- II
- 6) For giving safe drinking water to the pupils the school has provided 4 nos. of Kent (drinking water purifier) & 4 nos. of Water Cooler with 10 tap points. There is provision for the continuous supply of potable water. It has own water supply system by deep bore well with submersible pump set for lifting water & municipal water supply.
- 7) For aerobic exercise the school has a big paly ground.
- 8) The school has separate laboratory i.e. Chemistry, Physics, Biology & Computer. Having proper safety arrangement systems.
Chemistry Lab. Size 66 sqmt. with safety gas pipe line connection adequate equipment and sufficient chemicals.
- 9) Biology Lab.- Size 66 sqmt. with adequate equipment and sufficient apparatus.
- 10) Physics Lab. – Size 66 sqmt. with adequate equipment and sufficient apparatus.
- 11) Computer Lab.- Size 64 sqmt. with adequate equipment and sufficient apparatus.
- 12) A sick room-cum observation room for sick students with First-Aid facilities available.
- 13) Multi-Actively Hall 150 capacity Audio Visual room for CCE activities.
- 14) Ventilation is adequate in all the room & hall with 4'x6' windows & ceiling fans.
- 15) 4 nos. of trained security guard deployed for the overall safety and security of the school campus.
- 16) The general sanitation of the school premises is satisfactory.


 Health Officer cum Designated Officer
 Cuttack Municipal Corporation, Cuttack
 Cuttack


 MANAGER
 DAV S.C.B. Medical Public School
 Cuttack


 PRINCIPAL
 DAV S.C.B. Medical Public School
 Cuttack