



# DAV PUBLIC SCHOOL

RAJABAGICHA, CUTTACK - 753009

Ref.No : DAV (RB)/065/2026

Date.....01/06/2026

## NOTICE INVITING QUOTATION

Sealed quotations are invited by the undersigned from reputed contractors for the “**RENOVATION OF FLOORING WORK OF BUS PARKING**” at the campus of the school. The interested contractors may submit their quotations for the above purpose obtaining the prescribed quotation format from the office of the undersigned on all working days from 01/06/2026 between 10:30 am to 03:00 Pm. The tender form with the quotation form can be downloaded from school website. The quotation of the same should be sent in a sealed envelope super scribed as “**QUOTATION FOR RENOVATION OF FLOORING WORK OF BUS PARKING**” along with the name and phone number of the contractor on or before 08/06/2026 by 01:00 Pm. The quotation will be opened in the office of the Principal, DAV PUBLIC SCHOOL, RAJABAGICHA, Cuttack at 3:00 Pm on 08/06/2026.

### Terms & Conditions

- The quoted rates must be exclusive of GST charges as per applicable
- There should not be any over writing or correction in the quotation form.
- The Undersigned does not bind to accept the lowest quotation and reserves the right to accept the quotation in the whole or in part thereof and reserves the right to cancel any or all the quotations without assigning any reason thereof.
- The quotation received after stipulated date and time or incomplete in any respect shall not be considered.
- The bidder must be present or sent any representative at the time of opening of quotation.

*01.06.26*  
HEADMISTRESS  
DAV PUBLIC SCHOOL  
HEADMISTRESS CK-9

Copy to:

- Notice Board & website of the school for information of all concerned.
- PRINCIPAL, DAV PUBLIC SCHOOL, Cuttack & Bhubaneswar with a request to kindly display on notice board & website for the information to the public concerned
- The Concerned file for record

# DAV PUBLIC SCHOOL, RAJABAGICHA

## QUOTATION FORM

Date: 01/06/2026

Total Area of Work = 5475 Sqft (Approx)

### A. Scope of Work

1. Removal of Existing Paver blocks
2. Removal of Sand wherever required
3. PCC Work of 4" thickness over the Area
4. Filling of Sand as per level marking over the PCC
5. Brick work at front portion in order to keep the sand intact
6. Laying out the existing Paver Blocks as per Level Marking

### B. Rates to be quoted by Bidders for the renovation of the above work

SL	Description of Work	Quantity (approx.)	Unit Rate	Amount (INR)
1	Taking out existing CC Interlocking Paver blocks from the Surface, disposal of unserviceable material in the dumping ground and stacking the serviceable materials within 50m lead as per direction of Engineer-in-charge	510 Sqm		
2	Earth Work in surface excavation not exceeding more than 30 cm in depth including getting out and disposal of excavated earth up to 50 m lead as directed by engineer-in charge	110 Cum		
3	Filling of sand in the surface at a depth of 3". consolidating with ramming and watering	30 Cum		
4	Providing and laying in position Cement concrete of specific grade excluding the cost of shuttering and centring M10 grade (1:3:6) with 40 mm aggregate nominal size derived from natural source of 0'3" thickness	30 Cum		
5	Supplying and filling in foundation and Plinth with good river sand well -watered and rammed thickness of 0'3" including all leads and lifts, costs of all materials, labour, cess, sundries T&P required for the work etc complete in all respect as per direction of Engineer-In-Charge	40 Cum		

6	Laying old existing cement concrete interlocking paver blocks of any design and shape including 60mm thick compacted bed of coarse sand filling the joints with coarse sand all complete as per direction of Engineer-In-Charge. (old paver block to be provided by client)	510 Sqm		
7	Fly Ash Brick Masonry in cement mortar (1:6) in Super Structure using Fly Ash bricks of Size 25 x 12 x 8 cm having crushing strength not less than 7.5 Mpa or 75 Kg/Cm <sup>2</sup> , watering and curing after immersing the bricks in water for at least six hours before use including cost, conveyance, royalties, taxes of all materials with labour, cess, T&P required for the work complete in all respect as per direction of Engineer-In-Charge	02 Cum		
8	Supply and laying of new cement concrete interlocking paver blocks of same design and shape including 60mm thick compacted bed of coarse sand filling the joints with coarse sand all complete as per direction of Engineer-In-Charge. (If required), Paver Blocks: GICO make	As per Practical requirement		
<b>Total Cost for the above work (5475 Sqft approx.)</b>				

**N.B: GST Charges extra if applicable**

The bidder must visit the work site before quoting the rates.

**CEMENT used:** DALMIA, ULTRATECH, NUVOCO, ACC

No over writing would be done

For any queries, contact: 7008053514 (Pari Prakash Das)

Name of the Contractor with Signature:

Address:

PAN CARD Number with Xerox Attached:

GST Number (If any) with Xerox Attached

Phone no.

**Er. Pari Prakash Das**