



DAV PUBLIC SCHOOL

SECTOR-6, CDA, CUTTACK-753014

(Affiliated to C.B.S.E., New Delhi, Affiliation No.-1530046, School No.-15341)

Ref.No : DAV(CDA)/ 501

Date... 13-04-2026

NOTICE INVITING QUOTATION

Sealed quotations are invited by the undersigned from reputed contractors for the "TILES FLOORING WORK" at the campus of the school. The quotation form has been divided into 03 Parts(PART-A, PART-B and PART-C) The interested contractors may submit their quotations for the above purpose obtaining the prescribed quotation format from the office of the undersigned on all working days from 13/04/2026 to 22/04/2026 between 10:30 am to 03:00 Pm. The tender form with the quotation form can be downloaded from school website. The quotation of the same attaching all the 03 parts of quotation form should be sent in a sealed envelope super scribed as "QUOTATION FOR TILES FLOORING WORK" along with the name and phone number of the contractor on or before 23/04/2026 by 01:00 Pm. The quotation will be opened in the office of the Principal, DAV PUBLIC SCHOOL, CDA, Sector-6, Cuttack at 3:00 Pm on 23/04/2026.

Terms & Conditions

- For GST charges, Kindly go through the quotation Form
- There should not be any over writing or correction in the quotation form.
- The Undersigned does not bind to accept the lowest quotation and reserves the right to accept the quotation in the whole or in part thereof and reserves the right to cancel any or all the quotations without assigning any reason thereof.
- The quotation received after stipulated date and time or incomplete in any respect shall not be considered.
- The bidder must be present or sent any representative at the time of opening of quotation.

Handwritten signature
13/04/26
PRINCIPAL
PRINCIPAL
DAV Public School
Sector-6, CDA, Cuttack-14
School No.15341
Affiliation No.1530046

- Notice Board & website of the school for information of all concerned.
- PRINCIPAL, DAV PUBLIC SCHOOL, Cuttack & Bhubaneswar with a request to kindly display on notice board & website for the information to the public concerned

MANAGED BY THE COLLEGE MANAGING COMMITTEE, CHITRA GUPTA ROAD, NEW DELHI

Address - Sector-6, CDA, Cuttack-753014 (Odisha) Phone No.- 0671-2503443, 2505909

Email : davcda2018@gmail.com / davcda2004@yahoo.com Website : www.davcda.org

DAV PUBLIC SCHOOL, CDA, SECTOR-6, CUTTACK**RATES FOR TILES FLOORING WORK****Date: 13/04/2026****QUOTATION FORM****PART- A (Labour with Material)**

SL	Description of items	Unit	Rates for Labour with Material
1	Providing and laying of Double Charged Vitrified Floor Tiles of 600mm x 600mm(thickness speified by manufacturer of 1 st quality) confirming to IS:15622 of approved make laid on 20mm thick cement mortar (1:4) jointing with grey cement slurry @3.3 kg/Sqm including pointing of joints with matching pigment and white cement.	Sqm	
2	Providing and laying of Double charged Vitrified Floor Tiles of 1200 mm x 600mm(thickness speified by manufacturer of 1 st quality) confirming to IS:15622 of approved make laid on 20mm thick cement mortar (1:4) jointing with grey cement slurry @3.3 kg/Sqm including pointing of joints with matching pigment and white cement.	Sqm	
3	Providing and laying of Anti-Skid ceramic floor tiles of 300 mm x 300 mm , 400mm x 400mm(thickness speified by manufacturer of 1 st quality) confirming to IS:15622 of approved make laid on 20mm thick cement mortar (1:4) jointing with grey cement slurry @3.3 kg/Sqm including pointing of joints with matching pigment and white cement.	Sqm	
4	Providing and laying of Heavy Duty Parking Tiles (400 mm x 400 mm) (thickness speified by manufacturer of 1 st quality) confirming to IS:15622 of approved make laid on 20mm thick cement mortar (1:4) jointing with grey cement slurry @3.3 kg/Sqm including pointing of joints with matching pigment and white cement.	Sqm	
5	Providing and laying of machine cut,, mirror polished 18 mm thick marble stone flooring laid in required pattern in linear portion of building laid over 20mm(average) thick base cement mortar (1:4)jointing with white cement slurry @4.4 kg/Sqm including pointing of joints with matching pigment to match the marble shade including rubbing, curing,polishing all complete as specified by Engineer-In-Charge	Sqm	
6	Providing and laying of machine cut,, mirror polished 18 mm thick NORTH Kota stone (22" x 22") flooring laid in required pattern in linear portion of building laid over 20mm(average) thick base cement mortar (1:4)jointing with cement slurry @4.4 kg/Sqm including pointing of joints with matching pigment to match the Kota shade including rubbing, curing,polishing all complete as specified by Engineer-In-Charge	Sqm	

7	Providing and laying of polished Granite flooring in required design and pattern as per architectural plan of 18 mm thickness laid in required pattern in linear portion of building laid over 20mm(average) thick base cement mortar (1:4) jointing with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc all complete as specified and directed by Engineer-In-Charge	Sqm	
8	Providing and fixing of 1 st quality ceramic glazed wall tiles of size 600mm x 300 mm confirming to IS:15622 (thickness to be specified by manufacturer) of approved make in all colours shades in skirtings, dadoos, risers over 12mm thick bed mortar (1:3) and jointing with grey cement slurry @ 3.3Kg/Sqm including pointing with white cement mixed with pigment of matching shade complete as per the direction of Engineer-In-Charge.	Sqm	
9	Providing and fixing of 1 st quality ceramic glazed wall tiles of size 450mm x 300 mm confirming to IS:15622 (thickness to be specified by manufacturer) of approved make in all colours shades in skirtings, dadoos, risers over 12mm thick bed mortar (1:3) and jointing with grey cement slurry @ 3.3Kg/Sqm including pointing with white cement mixed with pigment of matching shade complete as per the direction of Engineer-In-Charge.	Sqm	

N.B: Above prices are inclusive of GST Charges as applicable

The above prices are inclusive of loading, unloading, Free delivery at Site

The above rates will be valid up to 31st March 2027

No over writing would be done

For any queries, contact : 7008053514, 9438112392

Name of the Contractor with Signature:

Address:

PAN CARD Number with Xerox Attached:

GST Number(If any) with Xerox Attached

Phone no.

PART-B – LABOUR CHARGES (Only)FOR TILES FLOORING WORK

SL	Description of items	Unit	Labour Charges
1	Dismantling of Wall Tiles and Floor Tiles of any size and removal of debris from work site within 50m lead	Sqm	
2	Laying of Double Charged Vitrified Floor Tiles of 600mm x 600mm of approved make laid on 20mm thick cement mortar (1:4) jointing with grey cement slurry @3.3 kg/Sqm including pointing of joints with matching pigment and white cement.	Sqm	
3	Laying of Double charged Vitrified Floor Tiles of 1200 mm x 600mm(of approved make laid on 20mm thick cement mortar (1:4) jointing with grey cement slurry @3.3 kg/Sqm including pointing of joints with matching pigment and white cement.	Sqm	
4	Laying of Anti-Skid ceramic floor tiles of 300 mm x 300 mm , 400mm x 400mm(of approved make laid on 20mm thick cement mortar (1:4) jointing with grey cement slurry @3.3 kg/Sqm including pointing of joints with matching pigment and white cement.	Sqm	
5	Laying of Heavy Duty Parking Tiles (400 mm x 400 mm) laid on 20mm thick cement mortar (1:4) jointing with grey cement slurry @3.3 kg/Sqm including pointing of joints with matching pigment and white cement.	Sqm	
6	Cutting and laying of 18 mm thick marble stone flooring laid in required pattern in linear portion of building laid over 20mm(average) thick base cement mortar (1:4)jointing with white cement slurry @4.4 kg/Sqm including pointing of joints with matching pigment to match the marble shade including rubbing, curing,polishing all complete as specified by Engineer-In-Charge	Sqm	
7	Cutting and laying of 18 mm thick NORTH Kota stone (22" x 22") flooring laid in required pattern in linear portion of building laid over 20mm(average) thick base cement mortar (1:4)jointing with cement slurry @4.4 kg/Sqm including pointing of joints with matching pigment to match the Kota shade including rubbing, curing,polishing all complete as specified by Engineer-In-Charge	Sqm	
8	Cutting and laying of polished Granite flooring in required design and pattern as per architectural plan of 18 mm thickness laid in required pattern in linear portion of building laid over 20mm(average) thick base cement mortar (1:4)jointing with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc all complete as specified and directed by Engineer-In-Charge	Sqm	

9	Fixing of 1 st quality ceramic glaxed wall tiles of size 600mm x 300 mm and 450mm x 300mm confirming to IS:15622 (thickness to be specified by manufacturer) of approved make in al colours shades in skirtings,.dadoos, risers over 12mm thick bed mortar (1:3) and jointing with grey cement slurry @ 3.3Kg/Sqm including pointing with white cement mixed with pigment of matching shade complete as per the direction of Engineer-In-Charge.	Sqm	
10	Fixing of Inter locking Paver Blocks of 60mm and 80mm with strong vibratory compaction of approved size or design over 50mm -60mm thick compacted bed of coarse sand, filling the joints with sand etc all complete as per direction of Engineer-In-Charge.	Sqm	
11	Fixing of Cement concrete Chequered tiles of Size (250mm x 250mm x 22 mm) or (300mm x 300 mm x 22 mm) thickness over 20mm(average) thick base cement mortar (1:4) with filling the joints with matching pigments	Sqm	

N.B: GST Charges extra if applicable

The above rates will be valid up to 31st March 2027

No over writing would be done

For any queries, contact : 7008053514 , 9438112392

Name of the Contractor with Signature:

Address:

PAN CARD Number with Xerox Attached:

GST Number(If any) with Xerox Attached

Phone no.

PART- C (SUPPLY OF TILES MATERIALS ONLY)

SL	Description of items	Unit	Unit Price	
			KAJARIA	JOHNSON
1	DOUBLE CHARGES VITRIFIED FLOOR TILES (600 mm x 600mm)	Per Box		
2	DOUBLE CHARGED VITRIFIED FLOOR TILES (1200 mm x 600 mm)	Per Box		
3	Supply of Anti-Skid Ceramic Floor Tiles (300 mm x 300 mm)	Per Box		
4	Supply of Anti-Skid Ceramic Floor Tiles (400 mm x 400 mm)	Per Box		
5	Supply of Ceramic glazed Wall tiles/ Digital Wall Tiles (450mm x 300 mm)	Per Box		
6	Supply of Ceramic glazed wall tiles/Digital Wall tiles (600 mm x 300 mm)	Per Box		
7	Supply of Heavy Duty Vitrified Parking Tiles (400mm x 400 mm)	Per Box		
8	Supply of Leera MARBLE Stone of specified size	Per Sqft		
9	SUPPLY OF NORTH KOTA STONE (22" x 22" x 18mm)	Per Sqft		
10	Supply of Polished Granite Sone of Specified size (Z-black, Rubi-Red)	Per Sqft		
11	Supply of Cement concrete chequered Tiles (250 x 250 x 22 mm)	Per Box		

12	Supply of Cement concrete chequerred Tiles (300 x 300 x 22mm)	Per Piece	
13	Supply of M-30 grade Interlocking Paver Blocks 60mm thickness	Per Piece	
14	Supply of M-30 grade Interlocking Paver Blocks 80mm thickness	Per Sqft	
16	Supply of MYK Laticrete 307 adhesive (20 Kg)	Per Bag	
17	Suppluy of Epoxy Grout	Per Kg	

N.B: Above prices are inclusive of GST Charges as applicable

The above prices are inclusive of loading,unloading,Free delivery at Site

The above rates will be valid up to 31st March 2027

No over writing would be done

For any queries, contact : 7008053514, 9438112392

Name of the Contractor with Signature:

Address:

PAN CARD Number with Xerox Attached:

GST Number(If any) with Xerox Attached

Phone no.